

Gazyva

Prior Authorization Request

CVS Caremark administers the prescription benefit plan for the patient identified. This patient's benefit plan requires prior authorization for certain medications in order for the drug to be covered. To make an appropriate determination, providing the most accurate diagnosis for the use of the prescribed medication is necessary. **Please respond below and fax this form to CVS Caremark toll-free at 1-855-330-1720**. If you have questions regarding the prior authorization, please contact CVS Caremark at **1-888-877-0518**. For inquiries or questions related to the patient's eligibility, drug copay or medication delivery; please contact the Specialty Customer Care Team: CaremarkConnect® 1-800-237-2767.

The recipient of this fax may make a request to opt-out of receiving telemarketing fax transmissions from CVS Caremark. There are numerous ways you may opt-out: The recipient may call the toll-free number at 877-265-2711, at any time, 24 hours a day/7 days a week. The recipient may also send an opt-out request via email to do not call@cvscaremark.com. An opt out request is only valid if it (1) identifies the number to which the request relates, and (2) if the person/entity making the request does not, subsequent to the request, provide express invitation or permission to CVS Caremark to send facsimile advertisements to such person/entity at that particular number. CVS Caremark is required by law to honor an opt-out request within thirty days of receipt.

Patient's Name:		Date:	
Patient's ID:		Patient's Date of Birth:	
Physician's Name:			
Specialty:	· · · · · · · · · · · · · · · · · · ·	NPI#:	
Physician Office Telephone:		Physician Office Fax:	
Referring Provider Info: ☐ Same as Re	equesting Provi	der	
Name:		NPI#:	
Fax:		Phone:	
Rendering Provider Info: ☐ Same as Ro Name:	_	• •	
Fax:		Phone:	
		s in accordance with FDA-approved labeling, vidence-based practice guidelines.	
Patient Weight:	kg		
Patient Height:	cm		
Please indicate the place of service for the	requested drug	:	
☐ Ambulatory Surgical		☐ Off Campus Outpatient Hospital	
□ On Campus Outpatient Hospital	\Box Office	□ Pharmacy	

<u>Cri</u>	teria Questions: What is the ICD-10 code?
2.	What is the patient's diagnosis? Chronic lymphocytic leukemia (CLL) or small lymphocytic lymphoma (SLL) Follicular lymphoma (FL), skip to Section B Gastric MALT lymphoma Non-gastric MALT lymphoma Nodal marginal zone lymphoma Splenic marginal zone lymphoma Histologic transformation of marginal zone lymphoma to diffuse large B-cell lymphoma Mantle cell lymphoma (MCL) Diffuse large B-cell lymphoma High-grade B-cell lymphoma Burkitt lymphoma AIDS-related B-cell lymphoma Post-transplant lymphoproliferative disorder Castleman's disease
3.	Is this a request for continuation of therapy with the requested drug? ☐ Yes ☐ No If No, skip to diagnosis section.
4.	Has the patient experienced disease progression or unacceptable toxicity while on the current regimen? \square Yes \square No If Yes or No, no further questions
Con	nplete the following section based on the patient's diagnosis, if applicable.
	tion A: Chronic Lymphocytic Leukemia (CLL) or Small Lymphocytic Lymphoma (SLL) How will the requested medication be used? The requested medication will be used as a single agent The requested medication will be used in combination with acalabrutinib The requested medication will be used in combination with venetoclax The requested medication will be used in combination with chlorambucil Other
	tion B: Follicular Lymphoma (FL) How many months of therapy with the requested medication has the patient received in their current course of therapy? months
7.	Is this a request for continuation of therapy with the requested drug? \square Yes \square No If No, skip to #9
8.	Has the patient experienced disease progression or unacceptable toxicity while on the current regimen? \square Yes \square No If Yes or No, no further questions
9.	How will the requested medication be used? ☐ The requested medication will be used in combination with CHOP (cyclophosphamide, doxorubicin, vincristine, and prednisone) regimen, CVP (cyclophosphamide, vincristine and prednisone) regimen, or bendamustine, <i>no further questions</i> ☐ The requested medication will be used as maintenance therapy, <i>no further questions</i> ☐ The requested medication will be used as a substitute for rituximab ☐ Other
10.	Has the patient experienced rare complications from rituximab such as mucocutaneous reactions including paraneoplastic pemphigus, Stevens-Johnson syndrome, lichenoid dermatitis, vesiculobullous dermatitis, and toxic epidermal necrolysis? \square Yes \square No

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Gazyva SGM – 12/2020.

Prescriber or Authorized Signature	Date (mm/dd/yy)
I attest that this information is accurate and true, and t information is available for review if requested by CVS	
epidermal necrolysis? ☐ Yes ☐ No	
13. Will the requested medication be used as a substitute for relationstation.14. Has the patient experienced rare complications from ritux paraneoplastic pemphigus, Stevens-Johnson syndrome, lie	imab such as mucocutaneous reactions including
Section D: Histologic Transformation of Marginal Zone Lymp Lymphoma (MCL), Diffuse Large B-Cell Lymphoma, High-C Related B-Cell Lymphoma, Post-Transplant Lymphoprolifera	irade B-Cell Lymphoma, Burkitt Lymphoma, AIDS- ive Disorder, or Castleman's Disease
12. Has the patient experienced rare complications from ritux paraneoplastic pemphigus, Stevens-Johnson syndrome, lie epidermal necrolysis? ☐ Yes ☐ No	
Marginal Zone Lymphoma 11. How will the requested medication be used? ☐ The requested medication will be used as second-line of bendamustine, no further questions ☐ The requested medication will be used as maintenance requested medication and bendamustine, no further questions ☐ The requested medication will be used as a substitute f ☐ Other	or subsequent therapy in combination with therapy in a patient who has been treated with the cons
Section C: Gastric MALT Lymphoma, Non-Gastric MALT Ly	ymphoma. Nodal Marginal Zone Lymphoma, or Spleni

Send completed form to: Case Review Unit CVS Caremark Specialty Programs Fax: 1-855-330-1720

Note: This fax may contain medical information that is privileged and confidential and is solely for the use of individuals named above. If you are not the intended recipient you hereby are advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received the fax in error, please immediately notify the sender by telephone and destroy the original fax message. Gazyva SGM – 12/2020.